

PRODUCT CATALOG 2026

Chinese Heavy Equipment & Vehicles

产品目录 · 中国工程车辆与设备

Connecting China with Global Markets

01 Heavy Trucks
重型卡车

02 Construction Machinery
工程机械

03 Trailers & Accessories
挂车及配件

04 Agricultural Tractors
农用拖拉机

Sourcing · Supply · Export
New and used, ready for export.



www.nineoneinternational.com

WhatsApp +852 6336 2230 · sales@nineoneinternational.com

About NINEONE INTERNATIONAL 关于我们



NINEONE INTERNATIONAL is the export brand of Jinan Jiuyi Cross-border E-commerce Co., Ltd., based in Jinan, Shandong Province, China. We connect distributors, importers and dealers worldwide with reliable Chinese suppliers of heavy trucks, construction machinery, trailers and agricultural tractors.

NINEONE INTERNATIONAL 是济南市玖一跨境电子商务有限公司的出口品牌，总部位于中国山东济南，为全球经销商、进口商提供中国重卡、工程机械、挂车及农用拖拉机的采购、供货与出口服务。

LEGAL NAME

Jinan Jiuyi Cross-border E-commerce Co., Ltd.

BRAND

NINEONE INTERNATIONAL

LOCATION

Jinan, Shandong, China

BUSINESS

B2B sourcing, supply & export

How we work 合作流程

01

Inquiry 询价

Send the model, quantity and destination port.

02

Quotation 报价

We match suitable suppliers and send a quotation.

03

Order 下单

We follow production and check goods before shipment.

04

Shipping 发运

We arrange export shipping and documents.

Product Series 产品系列



1

Heavy Trucks

重型卡车

- Dump & mining trucks 自卸车
- Tractor trucks 牵引车
- Cargo trucks & concrete mixers 载货车、搅拌车
- Tankers, fire & crane trucks 罐车、消防车、随车吊



2

Construction Machinery

工程机械

- Excavators 挖掘机
- Wheel loaders 装载机
- Road rollers & bulldozers 压路机、推土机
- Forklifts, cranes, pump trucks 叉车、汽车吊、泵车



3

Trailers & Accessories

挂车及配件

- Flatbed, low-bed & container trailers 平板、低平板、集装箱挂车
- Dump, fence & curtain-side trailers 自卸、栏板、侧帘挂车
- Axles, suspension, tyres, lamps 车桥、悬挂、轮胎、灯具



4

Agricultural Tractors

农用拖拉机

- 50–240 hp, 9 series 9 个系列
- Open platform or full cab 平地板 / 驾驶室
- Switchable 2WD / 4WD 两驱 / 四驱切换
- Double PTO, custom implements 双PTO、属具定制

Models, configurations and emission standards are for reference. Please contact us to confirm specification, availability and price for your market. 车型、配置及排放标准仅供参考，具体规格、货期与价格请联系我们确认。

Dump Trucks 自卸车



SINOTRUK SITRAK 8X4 DUMP TRUCK

中国重汽汕德卡 8×4 自卸车

Dimension 尺寸	9600–10200 × 2550 × 3500–3700 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI



SHACMAN X5000 8X4 DUMP TRUCK

陕汽 X5000 8×4 自卸车

Dimension 尺寸	9800–10500 × 2550 × 3600–3800 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SHACMAN F3000 8X4 DUMP TRUCK

陕汽 F3000 8×4 自卸车

Dimension 尺寸	9600–10200 × 2550 × 3500–3700 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	11.00R20 / 12.00R20
Emission 排放	Euro II–VI



SINOTRUK SITRAK 6X4 DUMP TRUCK

中国重汽汕德卡 6×4 自卸车

Dimension 尺寸	7800–8500 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 / 12.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Dump Trucks 自卸车



SHACMAN X3000 8X4 DUMP TRUCK

陕汽 X3000 8×4 自卸车

Dimension 尺寸	7600–8200 × 2550 × 3400–3600 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI



SHACMAN F3000 6X4 DUMP TRUCK

陕汽 F3000 6×4 自卸车

Dimension 尺寸	7800–8300 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	11.00R20 / 12.00R20
Emission 排放	Euro II–VI



SINOTRUK HOWO 8X4 DUMP TRUCK

中国重汽豪沃 8×4 自卸车

Dimension 尺寸	9500–10500 × 2550 × 3200–3600 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 / 12.00R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 8X4 DUMP TRUCK

中国重汽豪沃 TX 8×4 自卸车

Dimension 尺寸	10500 × 2550 × 3600 mm
Drive 驱动	8×4 (size optional)
Engine 马力	340, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	11.00R20 18PR / 12.00R20 18PR
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Dump Trucks 自卸车



SINOTRUK HOWO NX 8X4 DUMP TRUCK

中国重汽豪沃 NX 8×4 自卸车

Dimension 尺寸	10500 × 2550 × 3600 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20, 12+1 pcs
Emission 排放	Euro II–VI



SINOTRUK HOWO 6X4 DUMP TRUCK

中国重汽豪沃 6×4 自卸车

Dimension 尺寸	7200–8500 × 2550 × 3000–3400 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 / 12.00R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 6X4 DUMP TRUCK

中国重汽豪沃 TX 6×4 自卸车

Dimension 尺寸	7800 × 2550 × 3400 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 16PR
Emission 排放	Euro II–VI



SINOTRUK HOWO NX 6X4 DUMP TRUCK

中国重汽豪沃 NX 6×4 自卸车

Dimension 尺寸	8200 × 2550 × 3500 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R22.5 / 12.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制


Dump Trucks 自卸车



SHACMAN M3000 8X4 DUMP TRUCK

陕汽 M3000 8×4 自卸车

Dimension 尺寸	9800–10200 × 2550 × 3600–3800 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI



SHACMAN H3000 8X4 DUMP TRUCK

陕汽 H3000 8×4 自卸车

Dimension 尺寸	9800–10200 × 2550 × 3600–3800 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



FAW JIEFANG J6P 8X4 DUMP TRUCK

一汽解放 J6P 8×4 自卸车

Dimension 尺寸	9800–10500 × 2550 × 3600–3800 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 / 12.00R20
Emission 排放	Euro II–VI



SHACMAN M3000 6X4 DUMP TRUCK

陕汽 M3000 6×4 自卸车

Dimension 尺寸	7900–8400 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Dump Trucks 自卸车



SHACMAN H3000 6X4 DUMP TRUCK

陕汽 H3000 6×4 自卸车

Dimension 尺寸	8000–8500 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI



FAW JIEFANG JH6 6X4 DUMP TRUCK

一汽解放 JH6 6×4 自卸车

Dimension 尺寸	8000–8500 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	11.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 6X4 MINING DUMP TRUCK

中国重汽豪沃 TX 6×4 矿用自卸车

Dimension 尺寸	8500–9200 × 2800–3000 × 3800–4000 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	14.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Cargo, Mixers & Special Vehicles 载货车 · 搅拌车 · 专用车



SINOTRUK HOWO 8X4 FREIGHT TRUCK

中国重汽豪沃 8×4 载货车

Dimension 尺寸	11800–12500 × 2550 × 3900–4100 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SHACMAN F3000 8X4 FREIGHT TRUCK

陕汽 F3000 8×4 载货车

Dimension 尺寸	11500–12500 × 2550 × 3800–4000 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO 8X4 CONCRETE MIXER

中国重汽豪沃 8×4 混凝土搅拌车

Dimension 尺寸	10500–11200 × 2500 × 3900–4100 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO 6X4 FREIGHT TRUCK

中国重汽豪沃 6×4 载货车

Dimension 尺寸	9500–10500 × 2550 × 3800–4000 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Cargo, Mixers & Special Vehicles 载货车 · 搅拌车 · 专用车



FAW JIEFANG J6P 8X4 FREIGHT TRUCK

一汽解放 J6P 8×4 载货车

Dimension 尺寸	11800–12500 × 2550 × 3800–4000 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO 6X4 CONCRETE MIXER

中国重汽豪沃 6×4 混凝土搅拌车

Dimension 尺寸	9500–10200 × 2550 × 3800–4000 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 8X4 CONCRETE MIXER

中国重汽豪沃 TX 8×4 混凝土搅拌车

Dimension 尺寸	10800–11500 × 2550 × 3900–4100 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK SITRAK 8X4 CONCRETE MIXER

中国重汽汕德卡 8×4 混凝土搅拌车

Dimension 尺寸	10800–11500 × 2550 × 3800–4000 mm
Drive 驱动	8×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II, Euro III

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Cargo, Mixers & Special Vehicles 载货车 · 搅拌车 · 专用车



SINOTRUK HOWO HANJING 4X2 WATER TANK TRUCK

中国重汽豪沃 悍将 4×2 水罐车

Dimension 尺寸	8200–8800 × 2500 × 3200–3400 mm
Drive 驱动	4×2 (size optional)
Engine 马力	240–350 hp
Tyre 轮胎	10.00R20
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 6X4 CONCRETE MIXER

中国重汽豪沃 TX 6×4 混凝土搅拌车

Dimension 尺寸	9800–10500 × 2550 × 3800–4000 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK SITRAK 6X4 CONCRETE MIXER

中国重汽汕德卡 6×4 混凝土搅拌车

Dimension 尺寸	9500–10200 × 2550 × 3800–4000 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO 6X4 OIL TANK TRUCK

中国重汽豪沃 6×4 油罐车

Dimension 尺寸	10500–11200 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Cargo, Mixers & Special Vehicles 载货车 · 搅拌车 · 专用车



SINOTRUK HOWO 8X4 TRUCK-MOUNTED CRANE

中国重汽豪沃 8×4 随车起重机

Crane 起重参数	14–18m, 8–12t
Drive 驱动	8×4
Tonnage 起重吨位	6t, 8t, 10t, 12t, 14t, 16t
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK SITRAK 6X4 HEAVY-DUTY FIRE TRUCK

中国重汽汕德卡 6×4 重型消防车

Dimension 尺寸	9500–10200 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 18PR
Emission 排放	Euro II–VI



SINOTRUK HOWO 6X4 TRUCK-MOUNTED CRANE

中国重汽豪沃 6×4 随车起重机

Crane 起重参数	12–16m, 6–8t
Drive 驱动	6×4
Tonnage 起重吨位	6t, 8t, 10t, 12t, 14t, 16t
Tyre 轮胎	12.00R20 / 12R22.5
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Trucks 牵引车



SINOTRUK HOWO 6X4 TRACTOR TRUCK

中国重汽豪沃 6×4 牵引车

Dimension 尺寸	6800–7200 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 or 295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO 4X2 TRACTOR TRUCK

中国重汽豪沃 4×2 牵引车

Dimension 尺寸	6800–7200 × 2550 × 3500–3700 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20 or 295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO TX 6X4 TRACTOR TRUCK

中国重汽豪沃 TX 6×4 牵引车

Dimension 尺寸	6900–7300 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI



SINOTRUK HOWO NX 6X4 TRACTOR TRUCK

中国重汽豪沃 NX 6×4 牵引车

Dimension 尺寸	6900–7200 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Trucks 牵引车



SINOTRUK SITRAK 6X4 TRACTOR TRUCK

中国重汽汕德卡 6×4 牵引车

Dimension 尺寸	6900–7300 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 510, 530, 540 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO T7 4X2 TRACTOR TRUCK

中国重汽豪沃 T7 4×2 牵引车

Dimension 尺寸	6000–6500 × 2550 × 3400–3600 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK HOWO NX 4X2 TRACTOR TRUCK

中国重汽豪沃 NX 4×2 牵引车

Dimension 尺寸	6200–6700 × 2550 × 3200–3500 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK SITRAK 4X2 TRACTOR TRUCK

中国重汽汕德卡 4×2 牵引车

Dimension 尺寸	6200–6700 × 2500 × 3400–3600 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 510, 530, 540 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Trucks 牵引车



SINOTRUK HOWO MAX 6X4 TRACTOR TRUCK

中国重汽豪沃 MAX 6×4 牵引车

Dimension 尺寸	6900–7300 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 510, 530, 540 hp
Tyre 轮胎	12.00R20 or 295/80R22.5
Emission 排放	Euro II–VI



SHACMAN F3000 6X4 TRACTOR TRUCK

陕汽 F3000 6×4 牵引车

Dimension 尺寸	6800–7200 × 2550 × 3400–3600 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI



SHACMAN H3000 6X4 TRACTOR TRUCK

陕汽 H3000 6×4 牵引车

Dimension 尺寸	6900–7300 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI



SINOTRUK HOWO MAX 4X2 TRACTOR TRUCK

中国重汽豪沃 MAX 4×2 牵引车

Dimension 尺寸	6300–6800 × 2550 × 3300–3600 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 510, 530, 540 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Trucks 牵引车



SHACMAN X3000 6X4 TRACTOR TRUCK

陕汽 X3000 6×4 牵引车

Dimension 尺寸	7000–7400 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI



SHACMAN M3000 6X4 TRACTOR TRUCK

陕汽 M3000 6×4 牵引车

Dimension 尺寸	7000 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12R22.5 18PR
Emission 排放	Euro II–VI



FAW JIEFANG J7 4X2 TRACTOR TRUCK

一汽解放 J7 4×2 牵引车

Dimension 尺寸	6000–6500 × 2550 × 3400–3600 mm
Drive 驱动	4×2 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	295/80R22.5
Emission 排放	Euro II–VI



SINOTRUK SITRAK 6X4 CNG TRACTOR TRUCK

中国重汽汕德卡 6×4 CNG 牵引车

Dimension 尺寸	7000–7400 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Trucks 牵引车


FAW JIEFANG JH6 6X4 CNG TRACTOR TRUCK
一汽解放 JH6 6×4 CNG 牵引车

Dimension 尺寸	7000–7500 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II, Euro III


FAW JIEFANG JH6 6X4 TRACTOR TRUCK
一汽解放 JH6 6×4 牵引车

Dimension 尺寸	7000–7400 × 2550 × 3500–3700 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460, 480 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI


SINOTRUK HOWO TX 6X4 CNG TRACTOR TRUCK
中国重汽豪沃 TX 6×4 CNG 牵引车


Dimension 尺寸	7200–7600 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI


SINOTRUK HOWO NX 6X4 CNG TRACTOR TRUCK
中国重汽豪沃 NX 6×4 CNG 牵引车

Dimension 尺寸	7200–7600 × 2550 × 3600–3800 mm
Drive 驱动	6×4 (size optional)
Engine 马力	336, 371, 375, 380, 400, 420, 430, 460 hp
Tyre 轮胎	12.00R20
Emission 排放	Euro II–VI

Colour: white, red, green, blue (optional) 颜色可选 · Left-hand drive standard 标准左舵 · Size and configuration can be customised 尺寸配置可定制

Tractor Truck Details 牵引车细节



Dump Truck Details 自卸车细节



Construction Machinery 工程机械



Excavator · SANY

挖掘机 · 三一 (新机 / 二手)



Excavator · KOMATSU

挖掘机 · 小松 (新机 / 二手)



Wheel loader · LONKING

装载机 · 龙工 (新机 / 二手)



Wheel loader · SHANTUI

装载机 · 山推 (新机 / 二手)



Wheel loader · XCMG

装载机 · 徐工 (新机 / 二手)



Road roller · SHANTUI

压路机 · 山推 (新机 / 二手)

Construction Machinery 工程机械



Truck crane

汽车吊 (新机 / 二手)



Truck crane

汽车吊 (新机 / 二手)



Forklift · SANY

叉车 · 三一 (新机 / 二手)



Bulldozer · SHANTUI

推土机 · 山推 (新机 / 二手)



Concrete pump truck · ZOOMLION

泵车 · 中联 (新机 / 二手)



Concrete pump truck · HOWO

泵车 · 豪沃 (新机 / 二手)

Semi-trailers & Trailers 挂车



Container flatbed semi-trailer

集装箱平板半挂车



Low-bed semi-trailer

低平板半挂车



Special equipment transporter

特种设备运输车



Vehicle transport semi-trailer

车辆运输半挂车



Fence semi-trailer

栏板半挂车



U-shaped dump semi-trailer

U 型后翻自卸半挂车



Side tipper (rollover dump)

侧翻自卸挂车



Full trailer

全挂车

Semi-trailers & Trailers 挂车



Box (van) semi-trailer

厢式半挂车



Skeletal (frame) semi-trailer

骨架半挂车



Stake semi-trailer (gooseneck)

仓栅式半挂车 (鹅颈)



Curtain-side semi-trailer

侧帘半挂车



HOWO mid-axle trailer

豪沃中置轴全挂车



Full trailer combination

全挂列车

Truck & Trailer Parts 挂车配件

Engines & drivetrain 发动机及配件



Tyres & steel rims 轮胎及钢圈



Axles & accessories 车桥及配件



Body accessories 车厢附件



Suspension & accessories 悬挂及配件



Fifth wheels & lower plates 下盘类



Truck & Trailer Parts 挂车配件


Landing legs 支腿系列



Lamps 灯具类



Hydraulic parts 液压系列



Electrical & air-brake parts 电气路类



Tarpaulins & securing 篷布及附件



Agricultural Tractors 50–240 hp 农用拖拉机

Open-platform and full-cab tractors with switchable 2WD/4WD, for ploughing, planting, haulage and other farm work. Customised implements available.

平地板与驾驶室两种配置，两驱 / 四驱可自由切换，适用于耕作、播种、运输等多种农艺作业，支持属具定制改装。

Model 型号	Power 马力	Version 版本	Gears 档位	Curb weight 整备重量	PTO (rpm)
504 / 604	50 / 60 hp	Open / Cab	8+8	1300–1450 kg	540 / 720
704 / 804	70 / 80 hp	Open / Cab	8+8	1600–1850 kg	540 / 720
904	90 hp	Open / Cab	8+8	1700–1900 kg	540 / 720
1004	100 hp	Open / Cab	12+12	2400–2650 kg	540 / 760
1204	120 hp	Open / Cab	12+12	2450–2750 kg	540 / 760
1404	140 hp	Open / Cab	12+12	2500–2800 kg	540 / 760
1604 / 1804	160 / 180 hp	Cab	16+8	5300 kg	760 / 850
2004	200 hp	Cab	16+8	6170 kg	760 / 850
2404	240 hp	Cab	16+16	8000 kg	760 / 850



Tractor Specifications 技术参数



504 / 604 AGRICULTURAL TRACTOR

504 / 604 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3100 × 1400 × 1600 mm (open) / 3100 × 1400 × 2600 mm (cab)
Engine 发动机马力	50 / 60 hp
Curb weight 整备重量	1300 kg (open) / 1450 kg (cab)
Tyre 轮胎型号	650-16 / 11.2-24
Ground clearance 离地间隙	270 mm
Gears 档位	8+8
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 720 rpm
Wheelbase 轴距	1800 mm
Track width 轮距	1.1 m (adjustable)

704 / 804 AGRICULTURAL TRACTOR

704 / 804 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3100 × 1500 × 1600 mm (open) / 3100 × 1500 × 2650 mm (cab)
Engine 发动机马力	70 / 80 hp
Curb weight 整备重量	1600 kg (open) / 1850 kg (cab)
Tyre 轮胎型号	750-16 / 11.2-28
Ground clearance 离地间隙	320 mm
Gears 档位	8+8
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 720 rpm
Wheelbase 轴距	1900 mm
Track width 轮距	1.2 m (adjustable)

Tractor Specifications 技术参数

904 AGRICULTURAL TRACTOR

904 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3450 × 1600 × 1800 mm (open) / 3450 × 1600 × 2680 mm (cab)
Engine 发动机马力	90 hp
Curb weight 整备重量	1700 kg (open) / 1900 kg (cab)
Tyre 轮胎型号	8.3-20 / 12.4-28
Ground clearance 离地间隙	350 mm
Gears 档位	8+8
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 720 rpm
Wheelbase 轴距	2000 mm
Track width 轮距	1.2 m (adjustable)

1004 AGRICULTURAL TRACTOR

1004 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3600 × 1700 × 1900 mm (open) / 3600 × 1700 × 2700 mm (cab)
Engine 发动机马力	100 hp
Curb weight 整备重量	2400 kg (open) / 2650 kg (cab)
Tyre 轮胎型号	8.3-24 / 11-32
Ground clearance 离地间隙	420 mm
Gears 档位	12+12
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 760 rpm
Wheelbase 轴距	2100 mm
Track width 轮距	1.3 m (adjustable)

Tractor Specifications 技术参数

1204 AGRICULTURAL TRACTOR

1204 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3650 × 1750 × 1950 mm (open) / 3650 × 1750 × 2750 mm (cab)
Engine 发动机马力	120 hp
Curb weight 整备重量	2450 kg (open) / 2750 kg (cab)
Tyre 轮胎型号	9.5-24 / 14.9-30
Ground clearance 离地间隙	420 mm
Gears 档位	12+12
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 760 rpm
Wheelbase 轴距	2100 mm
Track width 轮距	1.3 m (adjustable)

1404 AGRICULTURAL TRACTOR

1404 农用拖拉机 · Open platform & cab 平地板与驾驶室



Open platform 平地板



Cab 驾驶室

Dimension 外形尺寸	3700 × 1800 × 2000 mm (open) / 3700 × 1800 × 2800 mm (cab)
Engine 发动机马力	140 hp
Curb weight 整备重量	2500 kg (open) / 2800 kg (cab)
Tyre 轮胎型号	11.2-24 / 16.9-30
Ground clearance 离地间隙	460 mm
Gears 档位	12+12
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 540 / 760 rpm
Wheelbase 轴距	2100 mm
Track width 轮距	1.4 m (adjustable)

Tractor Specifications 技术参数

1604 / 1804 AGRICULTURAL TRACTOR

1604 / 1804 农用拖拉机 · Cab version 驾驶室款



Dimension 外形尺寸	4600 × 2300 × 3000 mm
Engine 发动机马力	160 / 180 hp
Curb weight 整备重量	5300 kg
Tyre 轮胎型号	13.6-24 / 16.9-34
Ground clearance 离地间隙	460 mm
Gears 档位	16+8
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 760 / 850 rpm
Wheelbase 轴距	2500 mm
Track width 轮距	1.8 m (adjustable)

2004 AGRICULTURAL TRACTOR

2004 农用拖拉机 · Cab version 驾驶室款



Dimension 外形尺寸	4750 × 2400 × 3050 mm
Engine 发动机马力	200 hp
Curb weight 整备重量	6170 kg
Tyre 轮胎型号	14.9-26 / 18.4-38
Ground clearance 离地间隙	480 mm
Gears 档位	16+8
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 760 / 850 rpm
Wheelbase 轴距	2650 mm
Track width 轮距	Front 2 m, rear adjustable

2404 AGRICULTURAL TRACTOR

2404 农用拖拉机 · Cab version 驾驶室款



Dimension 外形尺寸	5200 × 2550 × 3350 mm
Engine 发动机马力	240 hp
Curb weight 整备重量	8000 kg
Tyre 轮胎型号	16.9-28 / 20.8-38
Ground clearance 离地间隙	500 mm
Gears 档位	16+16
Rear output / PTO 后输出	3-point linkage, dual hydraulic outlets; double PTO 760 / 850 rpm
Wheelbase 轴距	2850 mm
Track width 轮距	Front 2 m, rear adjustable

Options & Standard Configuration 选装配置 · 配置标准与服务

Tyre options 轮胎选配

- 11.2-24 → 11.2-28
- 11.2-28 → 12.4-28
- 9.5-16 → 13.6-16
- 12.4-28 → 11-32
- 11.2-24 → paddy tyre 水田胎
- 11.2-28 → paddy tyre 水田胎
- 12.4-28 → paddy tyre 水田胎

Add-on configurations 加装配置

- Canopy 遮阳棚
- Cab retrofitting 加装驾驶室
- A/C retrofitting 加装空调
- Front axle upgrade (maintenance-free 030) 前桥升级 (030 免维护前桥)

All options are available on request; contact our sales team for pricing. 以上配置均可按需选装，具体价格请与销售联系。

1 24V electrical system, 3-year battery warranty

1604-2404 六缸机型均为国标 24V 线路，配国标电瓶，质保三年。

2 Cab standard equipment

冷暖空调、液压减震座椅、倒车影像、液晶仪表、风扇。Heating & cooling A/C, hydraulic suspension seat, reversing camera, LCD instruments, fan.

3 Custom implements

支持定做各类四驱拖拉机属具改装。Custom modification of 4WD tractor implements.

4 Engine brand on request

发动机品牌可按客户要求选配。

5 Inspection & export packing

整机出厂质检，支持海运出口包装。Factory-inspected before shipment; seaworthy export packing.

Request a Quotation 询价须知

To send you an accurate quotation, please include:

01 Product and model

产品及型号，例如 SINOTRUK HOWO 6×4 dump truck、1204 tractor

02 New or used

新车 / 二手

03 Quantity

数量

04 Destination country and port

目的国家及港口

05 Trade term

贸易条款，例如 FOB / CIF

06 Special configuration

特殊配置：驾驶位、排放标准、轮胎、颜色、属具等

What we handle

我们负责



Supplier matching

匹配合适的厂家与车源



Pre-shipment inspection

发货前检查



Export packing & shipping

出口包装与海运安排



Export documents

出口单证



Contact Us

联系我们

WHATSAPP

+852 6336 2230

Fastest reply · 回复最快

EMAIL

sales@nineoneinternational.com

WEBSITE

www.nineoneinternational.com

ADDRESS

Jinan, Shandong Province, China

中国山东省济南市



WhatsApp



Website

Scan to chat with our sales team or visit our website.
扫码联系销售或访问官网。